



MARKER



DALBELLO



VÖLKL

MDV SPORTS RACING PROGRAM



THE RACE IS ON

WELCOME TO THE MDV SPORTS RACING WORLD



04

TECHNOLOGIES VÖLKL PRODUCTS

06

TECHNOLOGIES DALBELLO PRODUCTS

08

TECHNOLOGIES MARKER PRODUCTS

10

TARGET GROUP PACKAGES

20

VÖLKL SKIS

26

SKI COMPARISON

28

MARKER BINDINGS

32

DALBELLO BOOTS

36

BOOT COMPARISON

36

ACCESSORIES

38

BAGS

42

MARKER PROTECTORS



KEY FEATURES

MULTILAYER WOODCORE

Each model contains a unique core that is individually attuned to its intended use and the expected stresses. We differentiate between a broad range of woods, composites and hybrids based on their construction, thickness profile, stiffness and flex behavior.

ROCKER CONSTRUCTION

Our Rocker construction is directly integrated into the production cycle, so the rocker shape doesn't need to be bent afterwards, which makes the matching between the rocker and the other components much more harmonized and precise.

FINISH

We are differentiating between several different finishes for each ski to find the perfect set up for each discipline. Our skis can be used directly on the racing course without any further preparation.

INTERFACE + XCOMP

The Marker World Cup Plate works with an hydraulic oil piston, which enables sensational performance on the race track. The piston only reacts to negative ski impacts. This noticeably improves the turn initiation, increases the edge grip and allows more precisely control. Combined with a Marker Xcomp Binding, power transmission, control and precision are incredible without any compromises on protection.

PERFECT SETUP

The VÖLKL PERFECT SETUP is an extremely complex process in optimizing all ski components, both individually and in relation to one another. This means: Each ski is unique in its own structure and performance.



KEEP ON RACING



HIGHTECH
MADE WHERE WE LIVE AND SKI:
BAVARIA, GERMANY

UVO.3D

1 Horizontal damping function

// building up tip pressure earlier
// rapid inclination invites the skier to move fast further inside

2 The enhanced vertical function increases damping effect

// significantly reduced vibration amplitudes
// a new level of reliability at extreme edge angles





KEY FEATURES

SLIM & COMPACT SHAPE WITH TWO NEW LASTS

LAST 92: With one of the most exacting lasts on the market, at 92 mm the DRS WC brings the power closer to the sole of the foot for more consistent and direct transmission of energy.

LAST 97: The shape of the DRS in the 97 mm last offers a perfect combination of the precision and performance of WC boots with the opportunity to enjoy the entire day of skiing without pressure points or pain. The DRS wraps the entire shape of the foot allowing complete and direct power transmission.

NEW LIFTERS & CANTING SOLES

You can install a pair of lifters with the height of 5 mm (or even 3mm for the WC version). After the installation, boot toe and heel heights must be routed to restore the original height dimensions.

For the new DRS 97 lifters are available after-market and offer more grip than the WC version. In addition, GripWalk is now available on even the highest performing Dalbello models! With the option of mounting special GripWalk lifters, the DRS 97 mm last can be upgraded with more grip and better walking comfort with no loss of performance.

FLEX & CUFF COMBINATIONS

The stronger the athlete is, the harder the plastic of his boot is. Stiffer materials allow a direct transmission of the forces to the ski. Size by size the wall plastic thicknesses change according with the entire volume and construction of the boots. This is the reason why the same flex letter on the smallest sizes are softer than the biggest sizes.

BOOTBOARD TUNING OPTIONS

Stance can be adjusted by grinding the boot board: different heights allow different performance characteristics depending on the athlete's needs. In the heel area there are two holes with two different depths. Grinding one or two steps it is possible to vary the bootboard's inclination, in proportion to the developments in the series. If you polish inside the reference area, you get an excellent set up, without margin of error.

NEW BUCKLES & DEDICATED BASE PLATES

New DRS buckles are 3D shaped, to better follow the ergonomic shape of the boot & for precise buckle tension on the new DRS, specifically dedicated for each size and position.

NEW SOLE ARCHITECTURE & REBALANCED HEIGHT IN COMPLIANCE WITH ISO NORM

Out of the box, the sole dimensions on the heel and toe are in compliance with ISO 5355. The new DRS is also within the F.I.S. stand height regulation of 43 mm.



NEW LINERS & TONGUE

The new WC liners are made with the highest quality materials to maximize feel and optimal vibration absorption.

- Velcro spoiler 1
- New collar 2
- WC lining & padding material 3
- Lorica outer tomaia 4
- Reinforced tongue double option to customize 5
- Tongue after customization 6





MARKER




XCOMP TOE

- One piece attachment with three point mounting pattern
- Absorbers in main body provide a more forgiving performance
- Xcomp piston absorbs short initial impacts and keeps boot centered
- Great power transmission, precision and control



TCX HEEL

- Increased vertical energy absorption
- Increased boot lug purchase
- Wider Heel connection
- Better power transmission



PISTON CONTROL

The inner life of the World Cup Plate. A hydraulic oil piston enables sensational performance on the race track. The piston only reacts to negative ski impacts. This noticeably improves the turn initiation, increases the edge grip and allows more precisely controlled turns.



KIDS

(U6-U12)

	PAGE	MODEL	ART. NO.
	22-25	SKIS:	
		Racetiger GS R JR 13/14/17 w Plate S/L	120842
		Racetiger GS R 21/23	120814 / 120816 (Plate)
		Racetiger GSL R JR w Plate S	120842
		Racetiger SG R 30	120850
Racetiger SL R JR w Plate S/L	120832		
	28-31	BINDINGS:	
		Race Junior 8	6320U1MS
		Race 10 TCX	6520U1MT
		XComp 12	6820U1MS
		WC PC Interface 10mm	2020R1SS
UVO 3D	118872 / 118862		
	32-35	BOOTS:	
		DRS WC SS	D2001004.00
		DRS WC XS	D2001005.00
		DRS 90 LC	D2002004.00
		DRS 75	D2002005.00
		DRS 60	D2002006.00
DRS 50	D2002007.00		



STUDENTS

(U14-U16)

PAGE		MODEL	ART. NO.	
XX	22-25	SKIS:	Racetiger SL R JR wPlate S/L	120832
			Racetiger SL R	120800 / 120802 (Plate)
			Racetiger GS R JR 17 w Plate L	120842
			Racetiger GS R R27/ R25/ R23 / R21	120814 / 120816 (Plate)
			Racetiger SG R 30 JR	120850
Z	28-31	BINDINGS:	XComp 12	6820U1MS
			XComp 16	6920U1MS
			XComp 18	7120U1MX
			WC PC Interface 10mm	2020R1SS
			WC PC Interface 14mm	2022R1SS
			UVO 3D	118872 / 118862
P	32-35	BOOTS:	DRS WC S	D2001003.00
			DRS WC SS	D2001004.00
			DRS WC XS	D2001005.00



JUNIORS

(U18-U21)

	PAGE		MODEL	ART. NO.
	22-25	SKIS:	Racetiger GS R WC 30	120870 / 120872 (Plate)
			Racetiger SL R WC	120860 / 120862 (Plate)
			Racetiger GS R 30	120810 / 120812 (Plate)
			Racetiger SL R	120800 / 120802 (Plate)
	28-31	BINDINGS:	XComp 16	6920U1MS)
			XComp 18	7120U1MX
			XComp 24	7130U1MX
			WC PC Interface 10mm	2020R1SS
			WC PC Interface 14mm	2022R1SS
			UVO 3D	118872 / 118862
	32-35	BOOTS:	DRS WC H	D2001001.00
			DRS WC M	D2001002.00
			DRS WC S	D2001003.00
			DRS WC SS	D2001004.00



MASTERS

	PAGE		MODEL	ART. NO.
	20-25	SKIS:	Racetiger GS PRO	120001
			Racetiger SL PRO	120021
			Racetiger GS R WC 30	120870 / 120872 (Plate)
			Racetiger GS R 30	120810 / 120812 (Plate)
			Racetiger SL R WC	120860 / 120862 (Plate)
			Racetiger SL R	120800 / 120802 (Plate)
			Racetiger GS R R27/ R25/ R23/ R21	120814 / 120816 (Plate)
			Racetiger SG R 30 (JR)	120850
	28-31	BINDINGS:	XComp 16	6920U1MS
			XComp 18	7120U1MX
			XComp 24	7130U1MX
			WC PC Interface 10mm	2020R1SS
			WC PC Interface 14mm	2022R1SS
			UVO 3D	118872 / 118862
	32-35	BOOTS:	DRS WC H	D2001001.00
			DRS WC M	D2001002.00
			DRS WC S	D2001003.00
			DRS WC SS	D2001004.00



SKI CROSS

	PAGE	MODEL	ART. NO.
	20-25	SKIS:	
		Racetiger GS X WC 27/30	120820
		Racetiger GS R R27/ R25/ R23/ R21	120814 / 120816 (Plate)
	28-31	BINDINGS:	
		XComp 16	6920U1MS
		XComp 18	7120U1MX
		XComp 24	7130U1MX
		WC PC Interface 10mm	2020R1SS
		UVO 3D	118872 / 118862
	32-35	BOOTS:	
		DRS WC M	D2001002.00
		DRS WC S	D2001003.00
		DRS WC SS	D2001004.00
		DRS WC XS	D2001005.00

XX VÖLKI RACE SKI

F.I.S.



**RACETIGER
GS PRO**



**RACETIGER
SL PRO**

ART. NO.	120001	120021
SIDECUT LENGTH (RADIUS)	114_69_97 175 (18.3), 180 (19.4), 185 (20.6)	127_68_103 165 (12.6)
WEIGHT PER SKI	2320 g* @ 175 w binding	2210 g* @ 165 w binding
TECHNOLOGY	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Race Finish 0,8° / 87,6° Base: P-Tex 4504	UVO 3D 3D.Glass Powered by Titanium Full Sidewall Race Finish 0,8° / 87,6° Base: P-Tex 4504
CORE	Speedwall Multil. Woodcore Beech/Poplar 70/30	Speedwall Multil. Woodcore Beech/Poplar 70/30
BINDING	Marker WC Plate 10 mm Marker Xcomp 16 GW Black Marker Xcomp 12 GW Black GRIP WALK	Marker WC Plate 10 mm Marker Xcomp 16 GW Black Marker Xcomp 12 GW Black GRIP WALK
ROCKER	 TIP ROCKER	 TIP ROCKER

INFO

OPTIONAL:
BINDING
RACETIGER
GS R

INFO

OPTIONAL:
BINDING
RACETIGER
GS R WC


INFO

OPTIONAL:
BINDING
RACETIGER
SG R 30 JR

RACETIGER
GS R 21-27

INFO

OPTIONAL:
BINDING
NEW PLATE
RACETIGER
GS R JR

ART. NO.	120812 (w/plate and UVO 3D) 120810 (Flat)*1	120872 (w/plate and UVO 3D) 120870 (Flat)*1	120850	120816 (w/plate and UVO 3D) 120814 (Flat)*1	120842
SIDECUT LENGTH (RADIUS)	95.5_65_83 183 (30) 98_65_84 188 (30)	99_65_83 188 (30) 100_65_84 193 (30)	96.5_65_83 183 (30) 100_65_84 192 (30) 99_64.5_84 203 (30)	102_64.5_88 174 (21) 102_64.5_87 178 (23) 101_64.5_88 183 (25) 100_64.5_86 188 (27,5)	98_64.5_87 132 (13) (JR Plate S) 99_64.5_88 140 (14) (JR Plate L) 101_64.5_90 148 (14) (JR Plate L) 100_64.5_89 156 (17) (JR Plate L) 102_64.5_90 161 (17) (JR Plate L) 103_64.5_91 166 (17) (JR Plate L) 105_64.5_93 171 (17) (JR Plate L)
WEIGHT	2350 g* @ 183 (120812)	2550 g* @ 188 (120872)	2070 g* @ 192	2250 g* @ 174 (120816)	tba
TECHNOLOGY	Full Sidewall ABS UVO 3D WC (120812) Powered by Titanium Race Finish GS 0,8° / 87,6° Base: P-Tex 4504	Full Sidewall ABS 188 Full Sidewall Phenol 193 UVO 3D WC (120872) Powered by Titanium Race Finish GS 0,8° / 87,6° (120872) Base: P-Tex 2510	Full Sidewall ABS Full Sidewall Phenol (192) Powered by Titanium Base: P-Tex 4505 (183)	Full Sidewall ABS UVO 3D WC (120816) Powered by Titanium Race Finish GS 0,8° / 87,6° Base: P-Tex 4504	Full Sidewall ABS Powered by Titanium Base: P-Tex 4504
CORE	Speedwall Woodcore beech/poplar 70/30	Full Sensor Wood Core, ash	Full Sensor Wood Core, ash	Speedwall Woodcore beech/poplar 70/30	Speedwall Woodcore beech/poplar 50/50
REC. BINDING	Marker Xcomp 24, 18, 16	Marker Xcomp 24, 18, 16	Marker Xcomp 16, 12	Marker Xcomp 24, 18, 16, 12	Marker Xcomp 12 Marker Race 10 TCX, JR 8
ROCKER	 REC. USE FIS: Lady FIS Master COMPLYING FIS: Lady WC/EC/FIS Men FIS -5cm (188) Lady FIS -5cm (183) U16/14, Master REC. NON-COMPETITION USE: Retired Racer	 REC. USE FIS: Lady EC/FIS (188) Men EC/FIS (193) Master COMPLYING FIS: Lady WC/EC/FIS (188) Men WC/EC/FIS (193) Men FIS -5cm (188) U16/14 (188), Master	 REC. USE FIS: Junior (nat. rules may apply) & Lady Master (183), Junior/U14 (national rules may apply) & Master (193), U14/16 & Master (203) COMPLYING FIS: Junior/U14 (national rules may apply) & U16 & Lady Master (183) Junior/U14 (national rules may apply) & U16 & Master (193) Junior/U14 (national rules may apply) & U16 & Master (203)	 REC. USE FIS: Master U14/16 Men U14/U16 Lady COMPLYING FIS: U14/16 Master REC. NON-COMPETITION USE: Instructor, Retired Racer	 REC. USE FIS: Junior (national rules may apply) Lady Master COMPLYING FIS: Junior/U14 (national rules may apply) U16, Lady Master



RACETIGER
SL R



RACETIGER
SL R WC



RACETIGER
SL SL R JR



RACETIGER
GSL R JR

ART. NO.	120802 (w/plate and UVO 3D) 120800 (Flat)* ¹	120862 (w/plate and UVO 3D) 120860 (Flat)* ¹
SIDECUT LENGTH (RADIUS)	113_65_98.5 155 (12) NEW (10mm WC Plate) 116_65_100 157 (12) (10mm WC Plate) 118_65_101 165 (12) (14mm WC Plate)	113_65_98.5 155 (12) NEW (10mm WC Plate) 116_65_100 157 (12) (10mm WC Plate) 118_64.5_102 165 (12) NEW (14mm WC Plate)
WEIGHT	1980 g* @ 155 (120802)	2030 g* @ 155 (120862)
TECHNOLOGY	Full Sidewall ABS UVO 3D WC (120802) Powered by Titanium Torsional Soft Tip 155 Race Finish SL 0,7° / 87,6° Base: P-Tex 4504	Full Sidewall ABS 155, 157 Full Sidewall Phenol 165 UVO 3D WC (120862) Powered by Titanium Torsional Soft Tip 155; 165 Race Finish SL 0,7° / 87,6° (120862) Base: P-Tex 2510
CORE	Speedwall Woodcore beech/poplar 70/30	Full Sensor Wood Core ash/poplar 50/50
REC. BINDING	Marker Xcomp 24, 18, 16	Marker Xcomp 24, 18, 16
ROCKER	 FULL CAMBER	 FULL CAMBER
REC. USE FIS	Men FIS & U14/16 & Master Lady FIS & U14/16 & Master	Lady EC/FIS & Master Men EC/FIS & Master
COMPLYING FIS	Lady WC/EC/FIS Men U18 (1st year -10cm, 155) U16/14, Master	Lady WC/EC/FIS Men U18 (1st year -10cm, 155) U16/14, Master
REC. NON-COMPETITION USE	Instructor, Retired Racer	Retired Racer

ART. NO.	120832	120842
SIDECUT LENGTH (RADIUS)	113_64.5_93 122 (7), 129 (9) (JR Plate S) 113_64.5_93 136 (10) (JR Plate L) 115_64.5_96 143 (10), 150 (12) (JR Plate L)	111_64.5_91 118 (7,5) (JR Plate S)
WEIGHT	TBA	TBA
TECHNOLOGY	Full Sidewall ABS Torsional Soft Tip Powered by Titanium Base: P-Tex 4504	Full Sidewall ABS Base: P-Tex 4504
CORE	Speedwall Woodcore beech/poplar 50/50	Speedwall Woodcore beech/poplar 50/50
REC. BINDING	Marker Race JR 8 Marker Race 10 XTD Marker Xcomp 12	Marker Race JR 8
ROCKER	 TIP ROCKER	 TIP ROCKER
REC. USE FIS	Junior (national rules may apply) U14 (only 150cm)	
COMPLYING FIS	U14/16 Junior (national rules may apply), Master	
REC. NON-COMPETITION USE		Junior

SKI COMPARISON

	CORE	TITANAL	FINISH	ROCKER
KIDS	Speedwall Kern 33/66 Speedwall Kern 50/50 183/192: Full Sensor WoodCore	2 layers of Titanal: SL R JR (120832) GS R JR (120842) 2 layers of Titanal: SG R JR (120850)	Serie	Tip Rocker
GSR 21/ 23/25/27	Speedwall Kern 33/66	2 layers of Titanal	Race Finish 1 (Base 0,8°; Side 87,6°)	Tip Rocker
GS R 30	Speedwall Kern 33/66	2 layers of Titanal	Race Finish 1 (Base 0,8°; Side 87,6°)	Tip Rocker
GS R WC 30	Full Sensor WoodCore	3 layers of Titanal	Race Finish 1 (Base 0,8°; Side 87,6°) (Flat without Finish)	Tip Rocker
SL R	Speedwall Kern 33/66	2 layers of Titanal	Race Finish 2 (Base 0,7°; Side 87,6°)	Full Camber
SL R WC	Full Sensor WoodCore	2 layers of Titanal	Race Finish 2 (Base 0,7°; Side 87,6°) (Flat without Finish)	Full Camber





MARKER

BINDINGS

Competition & Race



NEW

XCOMP 24

Category	Race Competition
Brake width	85 mm
DIN range	12.0 - 24.0
Boot type	A
Rec. skier's weight	60 + kg
Stand height	18 mm
Toe system	Xcomp
Afd Gliding Plate	Teflon
Heel	TCX Competition
Color	Black - Flo-red
Weight/pc.	1327 g
Order No.	7130U1MX



NEW

XCOMP 18

Category	Race Competition
Brake width	85 mm
DIN range	8.0 - 18.0
Boot type	A
Rec. skier's weight	60 + kg
Stand height	18 mm
Toe system	Xcomp
Afd Gliding Plate	Teflon
Heel	TCX Competition
Color	Black - Flo-red
Weight/pc.	1303 g
Order No.	7120U1MX



NEW

XCOMP 16

Category	Race
Brake width	85 mm
DIN range	6.0 - 16.0
Boot type	A / GW
Rec. skier's weight	60 + kg
Stand height	18 mm
Toe system	Xcomp
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black - Flo-Red
Weight/pc.	1199 g
Order No.	6920U1MS



NEW

XCOMP 12

Category	Race
Brake width	85 mm
DIN range	4.0 - 12.0
Boot type	A / GW
Rec. skier's weight	<120 kg
Stand height	18 mm
Toe system	Xcomp
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black - Flo-Red
Weight/pc.	1168 g
Order No.	6820U1MS





UPDATE	RACE 10 TCX
Category	Race Junior
Brake width	85 mm
DIN range	3.0 - 10.0
Boot type	A
Rec. skier's weight	30 - 105 kg
Stand height	18 mm
Toe system	2linkage
Afd Gliding Plate	Stainless steel
Heel	TCX
Color	Black - Flo-red
Weight/pc.	1083 g
Order No.	6520U1MT

WORLD CUP PC INTERFACE

	WC PC Interface	WC PC Interface
	10 mm	14 mm
Category	Competition & Race	Competition & Race
Stand height	10 mm	14 mm
Width / Length	59 / 542 mm	59 / 542 mm
Sole Length	260 - 362 mm	260 - 362 mm
Color	Black	Black
Weight/pc.	644 g	709 g
Order No.	2020R1SS	2022R1SS



UPDATE	RACE 10
Category	Race Junior
Brake width	85 mm
DIN range	3.0 - 10.0
Boot type	A
Rec. skier's weight	30 - 105 kg
Stand height	20 mm
Toe system	2linkage
Afd Gliding Plate	Stainless steel
Heel	Compact 3
Color	Black - Flo-red
Weight/pc.	833 g
Order No.	6520U1MS



	ALU PRO PLATE
Category	Competition & Race
Width	59 mm
Length	564 mm
Stand height	13mm
Sole Length	260 - 340 mm
Color	Aluminum
Weight/pc.	770 g
Order No.	030S1MP



UPDATE	RACE JUNIOR 8
Category	Race Junior
Brake width	85 mm
DIN range	2.0 - 8.0
Boot type	C
Rec. skier's weight	25 - 100 kg
Stand height	20 mm
Toe system	2linkage
Afd Gliding Plate	Stainless steel
Heel	Compact 3
Color	Black - Flo-red
Weight/pc.	833 g
Order No.	6320U1MS

→ Especially designed for junior boots

Boot Types:
A = Adult, standard Alpine, C = Children, standard Alpine,
GW = GripWalk Adult



DALBELLO

DRS BOOTS

Worldcup & Junior

NEW



DRS WC S

ARTICLE CODE	D2001003.00
COLOR	WHITE/RACE GREEN
SIZE	MP 225 - 285 UK 3.5-9.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5

NEW



DRS WC SS

ARTICLE CODE	D2001004.00
COLOR	WHITE/RACE GREEN
SIZE	MP 225 - 285 UK 3.5-6.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5

NEW



DRS WC H

ARTICLE CODE	D2001001.00
COLOR	WHITE/RACE GREEN
SIZE	MP 225 - 285 UK 3.5-9.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5

NEW



DRS WC M

ARTICLE CODE	D2001002.00
COLOR	WHITE/RACE GREEN
SIZE	MP 225 - 285 UK 3.5-9.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5

NEW



DRS WC XS

ARTICLE CODE	D2001005.00
COLOR	WHITE/RACE GREEN
SIZE	MP 225 - 255 UK 3.5-6.5
SIZE RUN	HALF SIZES ONLY
LAST	92 MM
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP WC
VELCRO STRAP	POWER STRAP 40 MM
BUCKLE	D5



NEW

DRS 140



ARTICLE CODE	D2002001.00
COLOR	WHITE/RACE GREEN
FLEX	140
SIZE	MP 225-295
SIZE RUN	HALF SIZES ONLY
LAST	97 MM
WEIGHT	SIZE 255 2155 G
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP 97 MM
VELCRO STRAP	BUCKLE STRAP 55 MM
BUCKLE	D5



NEW

DRS 130



ARTICLE CODE	D2002002.00
COLOR	WHITE/RACE GREEN
FLEX	130
SIZE	MP 225-295
SIZE RUN	HALF SIZES ONLY
LAST	97 MM
WEIGHT	SIZE 255 2155 G
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP 97 MM
VELCRO STRAP	POWER STRAP 50 MM
BUCKLE	D5



DRS 75



ARTICLE CODE	D2002005.00
COLOR	WHITE/RACE GREEN
FLEX	75
SIZE	MP 215-275
SIZE RUN	HALF SIZES ONLY
LAST	98 MM
WEIGHT	1712 G
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP LC
VELCRO STRAP	POWER STRAP 30 MM
BUCKLE	D5



DRS 60



ARTICLE CODE	D2002006.00
COLOR	WHITE/RACE GREEN
FLEX	60
SIZE	JR 235-265
SIZE RUN	HALF SIZES ONLY
LAST	90 MM
WEIGHT	1322 G
SHELL MATERIAL	DB HYPERLITE
CUFF MATERIAL	DB HYPERLITE
LINER	SUPERCOMFORT PRO
VELCRO STRAP	POWER STRAP 25 MM
BUCKLE	PJ 9 MACRO



NEW

DRS 110



ARTICLE CODE	D2002003.00
COLOR	WHITE/RACE GREEN
FLEX	110
SIZE	MP 225-295
SIZE RUN	HALF SIZES ONLY
LAST	97 MM
WEIGHT	SIZE 255 2155 G
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DP COMP 97 MM
VELCRO STRAP	POWER STRAP 50 MM
BUCKLE	D5



DRS 90 LC



ARTICLE CODE	D2002004.00
COLOR	WHITE/RACE GREEN
FLEX	90
SIZE	MP 225-275
SIZE RUN	HALF SIZES ONLY
LAST	98 MM
WEIGHT	2099 G
SHELL MATERIAL	PU
CUFF MATERIAL	PU
LINER	DB COMP LC
VELCRO STRAP	POWER STRAP 40 MM
BUCKLE	D5



DRS 50



ARTICLE CODE	D2002007.00
COLOR	WHITE/RACE GREEN
FLEX	50
SIZE	JR 175-215
SIZE RUN	HALF SIZES ONLY
LAST	90 MM
WEIGHT	993 G
SHELL MATERIAL	DB HYPERLITE
CUFF MATERIAL	DB HYPERLITE
LINER	SUPERCOMFORT PRO
BUCKLE	PJ 9 MACRO



BOOT SIZE OVERVIEW

DRS WC SIZE TABLE

UK	3	4	5	6	7	8	9
SOLE LENGTH	268	278	288	296	306	316	326
MONDO POINT	22.5	23.5	24.5	25.5	26.5	27.5	28.5




ACCESSORIES

UVO
V001S1SS



**RACING
TUNING KIT TCX**
2028Q1RT




**SLALOM TIP PROTECTORS
ASYMMETRIC**
154511.6



**SLALOM TIP
PROTECTORS SYMMETRIC**
154511.7



RT SL PROTECTOR
140090.0



POLES



**SPEEDSTICK
RED**
140000 (18 mm)
GS Red
110 - 135 cm (18 mm)



**SPEEDSTICK
YELLOW**
140001 (18 mm)
SL Yellow
110 - 135 cm (18 mm)



**SPEEDSTICK
BLACK**
140002 (16 mm)
Black
110 - 135 cm (16 mm)



**SPEEDSTICK
JR RED**
140008 (16 mm)
Yellow
90 - 110 cm (16 mm)



**SPEEDSTICK
KIDS BLACK**
169821 (14 mm)
Black
70 - 105 cm (14 mm)

BAGS



RACE BOOT PACK
VÖLKL

ART. NO.
140106
COLOR
Red / Grey
SIZE IN CM
34 x 31 x 48
VOLUMEN IN L
55



RACE BOOT & HELMET
BACKPACK VÖLKL

ART. NO.
140107
COLOR
Red / Grey
SIZE IN CM
39 x 30 x 47
VOLUMEN IN L
56



RACE BOOT & HELMET
BACKPACK DALBELLO

ART. NO.
140108
COLOR
Black / Grey / Green
SIZE IN CM
39 x 30 x 47
VOLUMEN IN L
56



RACE BACKPACK
TEAM LARGE VÖLKL

ART. NO.
140109
COLOR
Red / Grey
SIZE IN CM
49 x 36 x 65
VOLUMEN IN L
115



RACE SKI BAG
VÖLKL

ART. NO.
140116
(Double Ski 195 cm)
140114
(Single Ski 175 cm)
COLOR
Red / Grey
SIZE IN CM
195 x 35 x 35 (140116)
175 x 25 x 25 (140114)
VOLUMEN IN L
120



RACE SINGLE SKI BAG
165+15+15 VÖLKL

ART. NO.
140115
COLOR
Red / Grey
SIZE IN CM
(165+15 x 2) x 15
VOLUMEN IN L
80



ROLLING ALL PRO GEAR
BAG 200 CM VÖLKL

ART. NO.
140127
COLOR
Grey / Red /
Heather Green
SIZE IN CM
200 x 36 x 25
VOLUMEN IN L
180



RACE 4PAIR SKI BAG
PADDED 230 CM VÖLKL

ART. NO.
140117
COLOR
Black / Grey
SIZE IN CM
230 x 141



RACE BACKPACK
TEAM LARGE MDV

ART. NO.
140110
COLOR
Black / Grey
SIZE IN CM
49 x 36 x 65
VOLUMEN IN L
115



RACE BACKPACK
TEAM MEDIUM VÖLKL

ART. NO.
140111
COLOR
Red / Grey
SIZE IN CM
40 x 36 x 60
VOLUMEN IN L
85



RACE BACKPACK TEAM
MEDIUM DALBELLO

ART. NO.
140112
COLOR
Black / Grey / Green
SIZE IN CM
40 x 36 x 60
VOLUMEN IN L
85



RACE BACKPACK TEAM
MEDIUM MDV

ART. NO.
140113
COLOR
Black / Grey
SIZE IN CM
40 x 36 x 60
VOLUMEN IN L
85



ROLLING 70 L BAG
VÖLKL

ART. NO.
140124
COLOR
Grey / Red /
Heather Green
SIZE IN CM
61 x 36 x 31
VOLUMEN IN L
70



ROLLING 120 L BAG
VÖLKL

ART. NO.
140125
COLOR
Grey / Red /
Heather Green
SIZE IN CM
76 x 41 x 41
VOLUMEN IN L
120



TRAVEL DUFFEL
VÖLKL

ART. NO.
140122 (60 l)
140123 (90 l)
COLOR
Grey / Red /
Heather Green
SIZE IN CM
61 x 33 x 25 (60 l)
74 x 42 x 28 (90 l)



FLIGHT 30 L
BACKPACK VÖLKL

ART. NO.
140120 (VÖLKL)
140121 (MDV)
SIZE IN CM
50 x 33 x 18
VOLUMEN IN L
30



PROTECTORS



BODYVEST MAP 2.0

- Protection** MAP 2.0 Protection Material powered by A-XOC Shock Absorber along the rib cage
- Features** MarkAIR Channel Design
Central Spine Protection
- Material** High-quality functional material
4D Stretch/Compression Material
Extremely breathable
- Sizing** S, M, L
- Weight (+/-5%)** Men 602 g, Women 503 g, Youth 480 g (Size L)
- Certification** EN 1621-2:2014 Level 2
- Color** Black



Order No.	Men	Women	Youth
	S: 169200.15.S	S: 169210.49.S	S: 169220.49.S
	M: 169200.15.M	M: 169210.49.M	L: 169220.49.L
	L: 169200.15.L	L: 169210.49.L	
	XL: 169200.15.XL	XL: 169210.49.XL	



BP LIGHT MAP 2.0

- Protection** MAP 2.0 Protection Material powered by A-XOC Central Spin Protection
- Features** MarkAIR Channel Design
Quick-configure Belt
FIS-ready:
Wide, adjustable harness straps for a secure fit
Large kidney belt with practical velcro closure
Advance width adjustment for individual size adjustment
- Material** High-quality functional material
Extremely breathable
- Sizing** S, M, L, XL
- Weight (+/-5%)** Men 635 G, Women 550 g (Size L)
- Certification** EN 1621-2:2014 Level 2
- Color** Black / Red



Order No.	Men (Black)	Women (Red)
	S: 169201.15.S	S: 169211.49.S
	M: 169201.15.M	M: 169211.49.M
	L: 169201.15.L	L: 169211.49.L
	XL: 169201.15.XL	XL: 169211.49.XL



IMPRINT

INTERNATIONAL HEADQUARTERS

Marker Dalbello Völkl (International) GmbH
Ruessenstrasse 6
6341 Baar
Switzerland

Photography: Adam Clark, Peter Mathis, GEPA,
Michael Mayer, Pally Learmond, Paul Schmidt
Created & produced by: yearning.de

Marker, XComp, X-cell, UVO, Piston Control, Glide, Fastrak, EPS, Deacon, Duke, Jester, Baron, Griffon, Squire, Schizo, Ampire, Lord, i.Roc, Biotech, Gripwalk, Kingpin, Völkl, Völkl Freeski, Bio-Logic, Racetiger, Code, v-werks, Speedwall, UVO, Katana, Inuk, Nunataq, Phantastick, Shiro, Kink, Pyra, Motion, Ride the Mountain and Essenza are registered trademarks of Marker Völkl International GmbH and other marks are pending.

MÄRKER DALBELLO VÖLKL

© 2020 by Völkl. Subject to alternation